

SWINGDOOR JULIET



Material Properties




| | |
|---------------------|--------------------|
| Chemical Resistance | high- ISO/TR 10358 |
| Temperature Range | -10° up to + 50° |
| Deflection zone | 250 mm |

Environment

| | |
|----------------------------------|-------|
| CO ₂ / m ³ | 20 kg |
| Recyclability | 100% |

Other

Standard Warranty 5 years



| Art. No. | Description | Weight |
|---------------|--|---------|
| DFJU-DA800-A | Width 800 mm | 6,3 kg |
| DFJU-DA1000-A | Width 1000 mm | 6,7 kg |
| DFJU-DA1200-A | Width 1200 mm | 7,1 kg |
| DFJU-DA1500-A | Width 1500 mm with wheel | 9,3 kg |
| DFJU-DA1750-A | Width 1750 mm with wheel | 9,8 kg |
| DFJU-DA2000-A | Width 2000 mm with wheel | 10,8 kg |
| DFJU-HI-A | Juliet door hinge set, Version A | |
| 72557 | d-flexx Juliet stickerpack 12 pcs Green & yellow | |

Article description Juliet door hinge set
Item number DFJU-HI-A
EAN 4250912396722
Customs tariff number 39269097



Height 200 mm
Width 225 mm
Length 300 mm
Diameter
Deflection zone See post

Net weight 1,3 kg
Material Steel
Color Black
Indoor use Yes
Outdoor use Yes
Boreholes
Fixing



Material Properties

Chemical Resistance high- ISO/TR 10358
Temperature Range -10° up to + 50°

Environment

CO2 / m³ 20 kg
Recyclability 100%

Other

Standard Warranty 5 years



Article description Door 800 mm
Item number DFJU-DA800-A
EAN 4250912396630
Customs tariff number 39269097



Height 662 mm
Width 225 mm
Length 800 mm
Diameter
Deflection zone See post

Net weight 6,3 kg
Material Polyethylene
Color Yellow (like RAL 1018 traffic yellow) / black
Indoor use Yes
Outdoor use Yes
Boreholes 4

Fixing The fixing material is included. The Fischer ULTRACUT FBS II is the perfect powerful concrete screw for top installation comfort.

Fixing dimensions M10X70

Material Properties


Chemical Resistance high- ISO/TR 10358
Temperature Range -10° up to + 50°

Environment

CO2 / m³ 20 kg
Recyclability 100%

Other

Standard Warranty 5 years



Article description Door 1000 mm
Item number DFJU-DA1000-A
EAN 4250912396647
Customs tariff number 39269097



Height 662 mm
Width 225 mm
Length 1000 mm
Diameter
Deflection zone See post

Net weight 6,7 kg
Material Polyethylene
Color Yellow (like RAL 1018 traffic yellow) / black
Indoor use Yes
Outdoor use Yes
Boreholes 4

Fixing The fixing material is included. The Fischer ULTRACUT FBS II is the perfect powerful concrete screw for top installation comfort.

Fixing dimensions M10X70

Material Properties


Chemical Resistance high- ISO/TR 10358
Temperature Range -10° up to + 50°

Environment

CO₂ / m³ 20 kg
Recyclability 100%

Other

Standard Warranty 5 years



Article description Door 1200 mm
Item number DFJU-DA1200-A
EAN 4250912396654
Customs tariff number 39269097



Height 662 mm
Width 225 mm
Length 1200 mm
Diameter
Deflection zone See post

Net weight 7,1 kg
Material Polyethylene
Color Yellow (like RAL 1018 traffic yellow) / black
Indoor use Yes
Outdoor use Yes
Boreholes 4
Fixing The fixing material is included. The Fischer ULTRACUT FBS II is the perfect powerful concrete screw for top installation comfort.
Fixing dimensions M10X70



Material Properties


Chemical Resistance high- ISO/TR 10358
Temperature Range -10° up to + 50°

Environment

CO2 / m³ 20 kg
Recyclability 100%

Other

Standard Warranty 5 years



Article description Door with wheel 1500 mm
Item number DFJU-DA1500-A
EAN 4250912396661
Customs tariff number 39269097



Height 662 mm
Width 225 mm
Length 1500 mm
Diameter
Deflection zone See post

Net weight 9,1 kg
Material Polyethylene
Color Yellow (like RAL 1018 traffic yellow) / black
Indoor use Yes
Outdoor use Yes
Boreholes 4
Fixing The fixing material is included. The Fischer ULTRACUT FBS II is the perfect powerful concrete screw for top installation comfort.
Fixing dimensions M10X70



Material Properties

Chemical Resistance high- ISO/TR 10358
Temperature Range -10° up to + 50°

Environment

CO2 / m³ 20 kg
Recyclability 100%

Other

Standard Warranty 5 years



Article description Door with wheel 1750 mm
Item number DFJU-DA1750-A
EAN 4250912396739
Customs tariff number 39269097



Height 662 mm
Width 225 mm
Length 1750 mm
Diameter
Deflection zone See post

Net weight 9,8 kg
Material Polyethylene
Color Yellow (like RAL 1018 traffic yellow) / black
Indoor use Yes
Outdoor use Yes
Boreholes 4
Fixing The fixing material is included. The Fischer ULTRACUT FBS II is the perfect powerful concrete screw for top installation comfort.
Fixing dimensions M10X70



Material Properties


Chemical Resistance high- ISO/TR 10358
Temperature Range -10° up to + 50°

Environment

CO₂ / m³ 20 kg
Recyclability 100%

Other

Standard Warranty 5 years



Article description Door with wheel 2000 mm
Item number DFJU-DA2000-A
EAN 4250912396685
Customs tariff number 39269097



Height 662 mm
Width 225 mm
Length 2000 mm
Diameter
Deflection zone See post

Net weight 10,3 kg
Material Polyethylene
Color Yellow (like RAL 1018 traffic yellow) / black
Indoor use Yes
Outdoor use Yes
Boreholes 4
Fixing The fixing material is included. The Fischer ULTRACUT FBS II is the perfect powerful concrete screw for top installation comfort.
Fixing dimensions M10X70



Material Properties

Chemical Resistance high- ISO/TR 10358
Temperature Range -10° up to + 50°

Environment

CO2 / m³ 20 kg
Recyclability 100%

Other

Standard Warranty 5 years

