



Spill Control & Environmental

Down-to-earth



Spill Control & Environmental

Why do I need spill containment?

Hazardous leaks and spills are a relentless challenge. Slippery floors indoors can lead to a fall accident with associated costs and severe time lost. In addition to the damaging effects to our environment, EPA fines for contamination of our outdoors can be staggering. By using Justrite spill control products, accidents and costly fines can be easily avoided.

Good spill containment practices offer these benefits:

- Keeps personnel and the environment protected
- Supports corporate and government sustainability initiatives
- Saves money by reclaiming spilled liquids
- Enhances your safety program, raises employee awareness
- Improves your company image—shows your commitment to employees and the environment
- Increases efficiencies by keeping materials organized
- Complies to laws and avoids fines—meets or supports EPA and SPCC (Spill Prevention, Control, and Countermeasure) regulations

Flexible containment

Flexible containment products are typically made of durable PVC coated fabric which folds down and stores compactly for easy portability and emergency use. They can be used indoors or out and capture anything from small leaks and drips to large-scale spills up to 22,187 litres. Patented Rigid-Lock QuickBerms® feature vehicle drive-in, drive-out capability, and offer fast, one-piece set up.

Structured containment

Structured containment products are typically used indoors to safely store drums of hazardous liquids. For outdoor use, weather-resistant sheds equipped with leakproof sumps safely store drums or IBC's. Most are constructed of rigid, durable EcoPolyBlend™ recycled content, making them twice as good for the environment. Sump capacities as high as 1,408 litres prevent groundwater contamination—and recycled content saves on oil, electricity, and landfill space.



Spill Control & Environmental

Rigid-Lock QuickBerm® offers immediate, secure deployment and no-worry, spill-readiness. Made in the Netherlands.

Quick-deploy design for permanent or temporary spill control



No assembly needed—saves time, ready in minutes!



A simple tug locks supports in upright position.




Rigid-Lock technology

Patented wall-support design maximizes inside berm space and reduces tripping hazards on the berm perimeter. They lock the sidewalls in a 30-cm high, 90° vertical position for strong structural integrity. Sidewalls lower quickly for easy drive-in and -out. Encased in protective nylon hub and in down position, support withstands vehicle traffic with 5000 kg of tire weight at each tire. Hub includes integrated holes to accept anchors (anchors not included).



CriticalCorner™

Reinforced CriticalCorner™ design featuring wraparound diagonal radio frequency welds using electromagnetic energy and pressure creates a permanent, impenetrable bond for 100% leakproof containment. Prevents billowing, unwrapping, or sagging of the corners during full containment for fluid-tight reliability. Walls include a 25-mm fray-resistant finished hem along the top rim for added wall strength and integrity. Seam seals prevent air, gas, vapours or fluids from either entering or escaping the berm.



Chemical Resistance

Modified PVC coated fabric withstands a broad range of chemicals including petroleum, oils, grease, and most acids—durable enough for extended wear. Exceptionally strong structural integrity. Withstands long-term UV exposure—great for outdoor use. Visit justrite.com for chemical compatibility charts to ensure performance and longevity.

Spill Control & Environmental



Spill Control & Environmental

Rigid-Lock QuickBerm® XT

Heavy-duty drive-in long-term spill containment for vehicles, heavy equipment and tankers

- Modified PVC coated fabric is thicker and more robust for frequent vehicle traffic and heavy applications
- Highly chemical resistant and withstands long-term UV exposure – great for outdoor use
- Patented Rigid-Lock stainless-steel wall-support system is 30 cm deep and locks at 90° for secure, leakproof containment
- Quick and easy setup – simply push on locks to lay wall down flat for an unobstructed work space and drive-through capability
- Single-piece construction with reinforced CriticalCorner™ design and radio frequency (RF) welds prevent seam leaks, provide fluid-tight reliability
- Made in The Netherlands



Capacity (L)	Interior (m)	Wall Height (cm)	Folded (cm)	Black
2252	2.4 x 3.0	30	61 x 61 x 31	28363
4240	3.0 x 4.6	30	61 x 61 x 41	28364
9501	3.7 x 8.5	30	81 x 81 x 41	28365
16978	3.7 x 15.2	30	91 x 91 x 51	28366
18321	3.7 x 16.5	30	91 x 91 x 61	28367
22183	4.3 x 17.1	30	102 x 102 x 61	28368

Note (1): For exterior dimension, add 203 mm to width and length to account for support and hub.

Note (2): When selecting a berm size, allow 305 mm at entry or exit for lowering and raising the wall.

Rigid-Lock QuickBerm®

Durable drive-in spill containment for drums, IBC totes, and tanks

- Modified PVC coated fabric is suited for placing heavy materials within the working space, occasional drive-in or –out scenarios and pedestrian traffic
- Chemical resistant and withstands long-term UV exposure— great for outdoor use
- Patented Rigid-Lock integral stainless-steel wall-support system is 30 cm deep and locks at 90° for secure, leakproof containment
- Single-piece construction – patented Rigid-Lock wall-support system integral to berm provides unobstructed work space
- Quick and easy setup – no assembly required
- Integrated holes permit easy anchoring under high wind conditions. Anchor stakes not included
- Made in The Netherlands



28522

Capacity (L)	Interior (m)	Wall Height (cm)	Folded (cm)	Black
662	1.2 x 1.8	30	61 x 61 x 13	28512
890	1.2 x 2.4	30	61 x 61 x 15	28514
1344	1.8 x 2.4	30	61 x 61 x 31	28516
1798	2.4 x 2.4	30	66 x 66 x 31	28518
2820	3.0 x 3.0	30	71 x 71 x 31	28519
4069	3.7 x 3.7	30	71 x 71 x 31	28522
5432	3.7 x 4.9	30	66 x 66 x 41	28524
6795	3.7 x 6.1	30	76 x 76 x 41	28526
7230	4.9 x 4.9	30	91 x 91 x 41	28528
9047	4.9 x 6.1	30	91 x 91 x 51	28530
11318	6.1 x 6.1	30	97 x 97 x 56	28532

Note (1): For exterior dimension, add 203 mm to width and length to account for support and hub.

Note (2): When selecting a berm size, allow 305 mm at entry or exit for lowering and raising the wall.

Spill Control & Environmental

Rigid-Lock QuickBerm® Lite

Lightweight, portable, versatile containment berm deploys quickly for emergency spill response

- Tough PVC coated fabric provides broad UV and chemical resistance that withstands repeated usage
- Patented Rigid-Lock wall supports maximize usable space inside the berm and greatly reduce any tripping hazard around the perimeter. Stainless steel braces support wall at 90° locked position for secure, leakproof containment
- Folds down easily to a small size for storage in trucks, emergency vehicles, and spill kits
- Optional grates to help reduce contact with contaminated liquids by personnel or equipment



28372

Capacity (L)	Interior (m)	Wall Height (cm)	Folded (cm)	Yellow
299	1.2 x 1.2	20	41 x 31 x 13	28370
451	1.2 x 1.8	20	41 x 36 x 15	28372
602	1.2 x 2.4	20	41 x 36 x 15	28374
1204	2.4 x 2.4	20	41 x 36 x 31	28376
1507	2.4 x 3.0	20	41 x 36 x 36	28378

Note (1): For exterior dimension, add 203 mm to width and length to account for support and hub.

Note (2): When selecting a berm size, allow 305 mm at entry or exit for lowering and raising the wall.

Decon QuickBerm®

Portable multi-zone decon stations help prevent environmental contamination

- For emergency deployment, these multi-stage berms with patented interior walls create wash down zones that safely capture and contain contaminated solutions. Select from two-, three-, or four-zone models
- Lightweight PVC coated fabric provides wide range of chemical resistance. The 20-cm walls allow for easy entry and exit of the compartments. One 19-mm GHT drain fitting per zone
- Single-piece construction—patented inside wall-support system forms watertight wash down zones
- Quick and easy setup—no assembly required



Accessories:

- Optional durable, anti-slip grates keep personnel and parts away from fluids and contaminants above contaminated wash down water

Capacity (L)	Zones	Interior (m)	Wall Height (cm)	Folded (cm)	Black
1132	2	1.8 x 3.0	20	61 x 61 x 10	28570
1810	3	1.8 x 4.9	20	66 x 66 x 13	28572
2264	4	1.8 x 6.1	20	71 x 71 x 10	28574

Washdown QuickBerm®

Portable drive-through station captures contaminated water from vehicle and construction equipment wash down

- Durable vinyl coated material reinforced with radio frequency-welded, high visibility yellow runway strips that withstand drive-thru traffic, including backhoes and skid steers
- Removable 102-mm diameter foam inserts support sidewalls while 51- x 203-mm planks (not included) slide into pockets to keep end walls elevated preventing wastewater from escaping during drive-over. Simply remove foam inserts to fold material for quick and compact storage
- Two DN25 NPT fittings on each side of the berm for drainage
- Brass grommets around perimeter provide the ability to securely anchor berm during use. Anchor stakes not included
- Helps comply with EPA for storm water regulations



Capacity (L)	Interior (m)	Wall Height (cm)	Folded (cm)	Black
947	3.0 x 3.4	10	102 x 102 x 51	28576
1609	3.0 x 5.5	10	102 x 102 x 61	28578
2840	3.7 x 7.9	10	102 x 102 x 91	28579
6815	4.3 x 16.5	10	102 x 102 x 122	28581

Note (1): For exterior dimension, add 203 mm to width and 914 mm length.

Spill Control & Environmental

Quick Berm Ground Protection Accessories

Improve berm longevity without sacrificing functionality



Ground Mats

Create a smooth, uniform deployment area with this heavy-duty woven fabric. Place under berm for improved wear resistance against rocks and construction debris.

Track Mats

Position inside the berm for extra protection along tire paths. Thick durable, black woven fabric protects the floor and walls from tire abrasion caused by skidding, turning, and braking.

Track Runners

Place this high visibility, yellow vinyl coated fabric inside the berm for moderate protection against tire abrasion.

Length (M)	Ground Mat 1.8 m Wide	Track Mat 0.9 m Wide	Track Runner 0.9 m Wide
1.8	28338	28336	28334
3	28344	28342	28340
4.9	28350	28348	28346
8.5	28356	28354	28352
17.1	28362	28360	28358

Berm Repair Kits

Repair lightly damaged berms with small holes, abrasion points or tears to maintain fluid-tight reliability and compliance

- Scissors and Utility Knife
- Pressure Application Roller
- PVC Cement
- Sand Paper
- 10-square feet of coated fabric repair material

28327 Modified vinyl repair kit

28329 PVC coated fabric repair kit



28327

Pop-Up Pool

Economical emergency spill containment - simply unfold, shake from foam ring top, and place under leaking equipment

- Contain spills from punctured saddle tanks, or leaking drums, hydraulic lines, pipes, and machinery
- Durable vinyl fabric is 20% heavier than other models on the market, providing increased abrasion resistance and more reliable seam adhesions
- Embedded foam ring top raises containment wall as fluid level increases
- Yellow colour provides visibility and easy identification



28319

Capacity (L)	Interior Dia (m)	Wall Height (cm)	Folded (cm)	Yellow
76	0.7	30	457 x 305 x 76	28319
250	1.2	36	457 x 406 x 152	28321
379	1.3	48	610 x 610 x 76	28323
568	1.6	41	610 x 610 x 127	28325

Maintenance Spill Berms

Compact and flexible spill containment deploys instantly in the shop or field

- Quickly contain minor spills and leaks during temporary storage of drums, machine parts, batteries, and equipment
- Lightweight PVC coated fabric provides broad UV and chemical resistance
- Encased urethane foam sidewalls offer easy roll-through access without the need for a ramp
- Walls quickly spring back into place with no memory loss
- No assembly required—simply unfold and use
- Anchor berm in place using the brass grommets in each corner. Anchor stakes not included
- Order optional grates to keep products and machinery above fluid



28400 with 1642S optional grate

Capacity (L)	Interior Dia (m)	Wall Height (cm)	Folded (cm)	Yellow
19	60 x 60	5	76 x 76 x 5	28414
38	60 x 120	5	76 x 137 x 5	28416
76	120 x 120	5	76 x 76 x 15	28418
151	120 x 240	5	76 x 76 x 31	28421
167	180 x 180	5	61 x 61 x 41	28422
511	300 x 340	5	71 x 71 x 41	28424
833	300 x 550	5	76 x 76 x 41	28426
38	60 x 60	10	76 x 76 x 10	28400
76	60 x 120	10	41 x 76 x 41	28402
151	60 x 240	10	71 x 71 x 41	28404
151	120 x 120	10	51 x 61 x 41	28406
227	120 x 180	10	61 x 61 x 41	28408
303	120 x 240	10	91 x 91 x 41	28410
341	180 x 180	10	97 x 97 x 41	28412

Note: For exterior dimension on 102 mm models, add 305 mm to width and length. For exterior dimension on 51 mm models, add 152 mm to width and length.

Spill Control & Environmental



Make a Berm™ Kit

Make-A-Berm™ Kit can easily be installed on site to fit the layout without having to move existing equipment.

Connect multiple berm pieces to fit your containment area. Non-absorbent modified PVC coated fabric provides a highly resistant barrier to contain oils, gasoline, acids and other liquids.

For a liquid-proof seal, a semi-permanent installation to the floor is available with the use of polyether-based adhesive. Flexible foam inserts are crush resistant and return to their original shape with no memory loss after foot traffic or hand truck equipment use.

- Multiple Make-A-Berm components
- Straight pieces can be linked together or combined with corners to create a complete containment solution
- Easily cut the berm pieces to fit around the containment area
- Contains spills and leaks around unique equipment and situations
- Different sizes ideal for small to medium capacity containment needs



Art. Nr.	Capacity (Liter)	Dimensions	Weight (kg)
28465	737	15.24 m x 50.8 mm	9.5

Spill Control & Environmental

Ceiling Leak Diverter

Redirect roof or pipe leaks to prevent water damage to protect your personnel, equipment, and inventory

- Durable, puncture resistant, and watertight PVC-coated yellow fabric channels overhead leaks to containers or floor drains
- Connect to a standard garden hose to drain water safely away. Flow rate of 12.5 L/min
- Available with high strength magnets for steel rafter attachment, or grommets for bungee or zip tie attachment
- Constructed with cinched corners for quick and easy installation



W x L (m)	Folded (cm)	Grommets	Magnets
1.5 x 1.5	46 x 31 x 5	28300	28302
2.1 x 2.1	46 x 41 x 10	28304	28306
3.0 x 3.0	46 x 41 x 15	28308	28310
3.7 x 3.7	46 x 41 x 15	28312	28314
4.6 x 4.6	46 x 41 x 25	28315	
6.1 x 6.1	46 x 41 x 36	28318	

Waterproof Tarps

Protect drums and equipment to avoid contamination or damage

- Shield equipment from the harsh effects of direct sunlight, sand, dust, and rain with these protective covers
- Waterproof, lightweight vinyl coated fabric reduces the effect of the environment
- Brass grommets in corners offer a convenient way to secure the tarp in place
- Use under berm products to provide additional puncture and wear-resistance



28432


W x L (m)	Folded (cm)	Black
1.5 x 1.5	46 x 41 x 15	28432
1.5 x 3.0	46 x 41 x 15	28434
3.0 x 3.0	46 x 41 x 15	28436
3.0 x 3.7	46 x 41 x 15	28438
3.0 x 6.1	46 x 41 x 36	28439



Water-Filled Drain Covers

Ensure regulatory compliance and prevent run-off pollutants from entering storm water drains

- Deploy cover as a preventative measure to seal drains before washdowns, maintenance, or other clean up tasks
- Long-lasting durable modified vinyl construction resists damage caused by UV rays
- Features easy-open push plug for filling with standard water hose
- Order a cover size that overlaps drain opening at least 152-mm on each edge. To prevent edges from losing contact with ground surface, do not fill over 127-mm in height



28468

W x L (m)	Folded (cm)	Black
0.8 x 0.8	38 x 38 x 8	28468
1.1 x 1.1	41 x 46 x 10	28470
1.1 x 1.7	41 x 46 x 15	28472
1.5 x 1.5	74 x 74 x 15	28474

Water-Filled Boom Diverters

Divert and control fluid for easy clean up or recovery - helps comply with EPA for storm water regulations

- Use water filled booms in storm water management, portable washdown/pressure washing diversion, and spill diversion
- Flexible PVC film construction conforms to uneven surfaces such as asphalt or concrete to form a diversionary barrier away from storm drains or as a holding area for wet vacuum operations
- Features easy-open push plug for filling with standard water hose



W x L (m)	Folded (cm)	Blue
1.5 x 0.2	15 x 31 x 8	28450
3.0 x 0.2	15 x 36 x 10	28452
7.6 x 0.2	25 x 46 x 15	28454
15.2 x 0.2	25 x 46 x 15	28456

Drip Pads

Capture small oil leaks and drips before they contaminate the ground or create unsafe work surfaces

- Made from UV- and chemical-resistant modified PVC
- Patented design feature includes a coated mesh outer layer to trap coarse debris
- Replaceable, oil-only sorbent within a welded leakproof barrier
- Rated for drive over applications, pads include brass grommets in opposing corners for anchoring. Anchoring stakes not included
- Pads come in two sizes; extended model is weighted to keep it down in high winds. Outer shell is reusable with optional refill sorbent packs



28458

Capacity (L)	W x L (cm)	Drip Pad + 5 Sorbents	Refill 5 Sorbents
5	53 x 58	28458	28460
7	61 x 91	28459	28461

Spill Control & Environmental

Mini-Berm Flex Tray

Compact, portable spill control for harsh and hazardous chemicals

- Safe and reliable for table top parts cleaning and fluid transfer operations involving petroleum products and acids
- Made from a robust modified PVC-coated fabric
- Rigid corner supports and sturdy foam walls
- Each berm comes with a DN25 NPT drain fitting to attach hose and transfer fluids for disposal
- Easy to fold and store; utility strap included
- Helps comply with EPA for containment and spill prevention (SPCC)



Capacity (L)	Interior Dia (m)	Wall Height (cm)	Folded (cm)	Black
114	0.9 x 0.9	15	13 x 127 x 18	28442
208	1.2 x 1.2	15	13 x 156 x 18	28444
265	1.2 x 1.5	15	20 x 152 x 20	28446
416	1.5 x 1.8	15	20 x 158 x 20	28448

EcoPolyBlend™ Spill Tray

Lightweight and low-profile design for small-scale spill control

- Made of 100% recycled polyethylene, these eco-friendly spill trays will not rust or corrode
- Raised rib bottom adds rigidity and keeps contents out of spills—perfect for pouring and filling applications



28719

Capacity (L)	External W x D (cm)	Wall Height (cm)	Interior (cm)	Black
45	117 x 41	14	103 x 26 x 12	28715
75	96 x 66	14	82 x 52 x 12	28716
75	121 x 58	14	106 x 44 x 12	28717
87	96 x 86	14	81 x 72 x 12	28718
109	119 x 83	14	105 x 70 x 12	28719

EcoPolyBlend™ Accumulation Centres and Ramp

Combine units to create your own customized spill-control system

- Use optional joining clips (28926) to firmly lock units together to combine 2-, 4-, 6-, and 8-drum modular units to create your own customized system
- Made from polyethylene, these accumulation centres are nearly impervious to chemicals, including acids and corrosives
- Low-profile centres only measure 14 cm high for easy handling of drums
- Seamless construction eliminates leaks, making them ideal for drum filling and dispensing operations
- Self-locating grates won't ride-up and are removable for easy cleaning
- Sumps remain separate and clips can be removed for easy repositioning
- Black models are made from 100% recycled polyethylene. Sump base also available in non-recycled yellow colour. EPA compliant, supports SPCC, and meets NFPA 1 2009 edition and IFC fire codes
- **28926** Joining clips available



28659



28652

Number of Drums	Sump Capacity (L)	Load Capacity (kg)*	W x D X H (cm)	Black	Yellow
1	45	567	64 x 64 x 14	28653	28652
2	90	1134	125 x 64 x 14	28655	28654
4	185	2268	125 x 125 x 14	28657	28656
6	276	3402	186 x 125 x 14	28659	28658
8	371	4536	246 x 126 x 14	28661	28660



28927 Sump-to Sump Drain Kit

- Includes joining clips and transfer tube for applications requiring a continuous sump
- Kit allows you to join centres together, on-site, for full compliance with regulations when sump capacities reach 270 litres
- Includes one pair stainless steel joining clips, one pair rubber grommets, one polytetrafluoroethylene (PTFE) transfer tube (Patent No US 6,622,879,B1)



28650

Companion Ramp

- Load and unload heavy drum with ease
- Anti-skid ribs provide maximum safety
- Place the ramp anywhere on accumulation centres size 2-drum or larger
- Available in **28687** Black and **28650** Yellow

*Loads are stated as a total safe allowable uniform distributed load and apply to service temperature range of -34° C to 49° C

Spill Control & Environmental

EcoPolyBlend™ Spill Control Pallets

Keep workers safe from accidental slips indoors and avoid costly hazmat cleanup

- Seamless construction eliminates leaks, making them ideal for drum filling and dispensing operations—models available with and without drain
- High density polyethylene (HDPE) construction with lead-free UV protectant provides excellent chemical resistance and impact durability for long life
- Black models and grates made with 100% recycled HDPE
- Removable HDPE flat top grates for simplified cleaning
- Forklift pockets make relocation easy on 2- and 4-drum models
- Load and unload heavy drums with ease using optional ramp with anti-skid diamond pattern—use with most pallet sizes
- EPA compliant and supports SPCC
- Available ramps in **28688** Black and **28620** Yellow for model 28635 4 drum square pallet
- Available replacement grates for **28259** 2-drum pallets and **28260** 1- or 3-drum pallets



Number of Drums	Sump Capacity (L)	Load Capacity (kg)*	W x D x H (cm)	Black	Black with Drain	Yellow	Yellow with Drain
2	250	1134	125 x 64 x 46	28623	28625	28622	28624
3	284	1701	186 x 64 x 30	28627	28629	28626	28628
4	284	2268	246 x 64 x 23	28631	28633	28630	28632
4	276	2268	125 x 125 x 26	28635	28637	28634	28636

*Loads are stated as a total safe allowable uniform distributed load and apply to service temperature range of -34° C to 49° C

EcoPolyBlend™ Single- and Double-Drum Collection Centres

All-weather construction stands up to the harshest environments

- Chemical-resistant 100% recycled polyethylene offers effective and economical spill control for 200-litre drums
- Lids include lock to prevent unauthorized access
- EPA compliant, supports SPCC, meets NFPA 1 2009 edition and IFC fire codes
- Forklift channels allow for easy relocation on double-drum centres (when empty)
- **28270** steel drum dolly available for transporting single-drum centre
- EcoPolyBlend™ Spill Control Funnels available as a cost-effective way to collect liquids and keep drum tops clean. **28680** for Non-Flammables and **28681** for Flammables
- **28682** Funnel cover available



28685 with funnel **28680** on **28270** steel dolly

Number of Drums	Sump Capacity (L)	OD x H/W x D X H (cm)	Black
1	250	84 x 81	28685
2	681	152 x 99 x 119	28683

EcoPolyBlend™ Spill Containment Caddy

Convenient handling, dispensing and built-in spill containment—all in one!

- Durable 100% recycled polyethylene (black model only) provides corrosion resistance and leakproof protection
- Rubber 254-mm wheels easily roll over uneven terrain
- Allows one person to transport a full 200-litre drum
- Ergonomic design with tilt/stop reduces back strain
- Two tension straps hold drum securely in place
- 250-litre spill sump contains chemical spills—meets EPA and supports SPCC



28665
Open-view Sump

Number of Drums	Sump Capacity (L)	Load Capacity (kg)*	W x D x H (cm)	Black	Yellow
1	250	567	81 x 183 x 66	28665	28664

EcoPolyBlend™ Drum Management System

Organize drums for maximum efficiency, productivity and cost-savings

- 100% recycled moulded polyethylene construction
- Stackable design stores up to four 110- and/or 200-litre Class 1B or 1C drums
- Open-view containment sump makes it easy to see spills
- Meets EPA and supports SPCC
- **28669** Black and **28668** Yellow stack module with strap holds two additional drums doubling the capacity
- **28671** Dispensing shelf with 27 kg load capacity mounts securely to stack module



Number of Drums	Sump Capacity (L)	Load Capacity (kg)*	W x D x H (cm)	Black	Yellow
2	250	1388	125 x 150 x 66	28667	28666

*Loads are stated as a total safe allowable uniform distributed load and apply to service temperature range of -34° C to 49° C

Spill Control & Environmental



EcoPolyBlend™ IBC Pallet Shed

Reliable spill protection and safe storage for IBCs

- Compliant storage for 1000- or 1250-litre IBCs**
- Made of durable 40% recycled polyethylene offering excellent chemical resistance
- Sturdy pillar supports accept up to 4082-kg
- Removable pillars for easy clean-up
- **28690** Replacement reach pole available



Number of IBCs	Sump Capacity (L)	Load Capacity (kg)*	W x D x H (cm)	Black/Yellow
1	1408	4082	154 x 174 x 264	28677

EcoPolyBlend™ IBC Pallet

Reliable spill protection for IBCs

- Compliant storage for 1000 or 1250-litre IBCs**
- Made of durable recycled polyethylene offering excellent chemical resistance
- Large leakproof sump protects against high volume spills
- Forklift pockets for easy relocation when empty



Number of IBCs	Sump Capacity (L)	Load Capacity (kg)*	W x D x H (cm)	Black
1	1408	4082	140 x 140 x 95	28674

EcoPolyBlend™ DrumSheds™

Safe, secure, and compliant outdoor storage for drums

- Made of eco-friendly, weather resistant 50% recycled polyethylene
- Roll top doors allow access from front or rear
- Features grounding capability, integral anchor bolts, and moulded lugs for padlocks
- A spacious interior enables safe addition of funnels or pumps
- EPA compliant and supports SPCC
- Ramp available in **28679** black and **28678** yellow



Number of Drums	Sump Capacity (L)	Load Capacity (kg)*	W x D x H (cm)	Black/Yellow
2	254	1134	154 x 149 x 191	28675
4	301	2268	154 x 174 x 191	28676

EcoPolyBlend™ Drum Pallet

Safe, secure, and compliant storage for drums

- Made of eco-friendly, weather resistant 50% recycled polyethylene
- Leakproof pallet sump has removable deck grating for easy clean-up
- Forklift pockets make it easy to relocate empty pallets
- EPA compliant and supports SPCC
- Ramp available in **28679** black and **28678** yellow



Number of Drums	Sump Capacity (L)	Load Capacity (kg)*	W x D x H (cm)	Black
2	254	1134	140 x 114 x 23	28672
4	301	2268	140 x 140 x 23	28673

*Loads are stated as a total safe allowable uniform distributed load and apply to service temperature range of (-34 C to 49 C

**Accepts IBCs up to 1219-mm W x 1219-mm D x 1346-mm H

Spill Kits



Spill Kits

- Spill response kit offers complete solution for effective clean up and disposal
- Kit includes a selection of pads, socks and pillows.
- Selection of kits for small to medium spills up to 120 liters
- Effectively labeled and colour coded for quick identification for chemical, oil or universal spills
- Available in 30 liter and 50 liter bags, and a 200 liter container



Art. Nr.	Liter Capacity	Description	Weight (kg)
Universal			
JABK1030UL	30	Universal Spill Kit - 30 L	4.6
JABK1050UL	50	Universal Spill Kit - 50 L	5.9
JABK1120UL	120	Universal Spill Kit - 120 L	21.9
Oil			
JABK1030OL	30	Oil-Only Spill Kit - 30 L	3.4
JABK1050OL	50	Oil-Only Spill Kit - 50 L	5.1
JABK1120OL	120	Oil-Only Spill Kit - 120 L	16.4
Chemical			
JABK1030CL	30	Chemical Spill Kit - 30 L	9.7
JABK1050CL	50	Chemical Spill Kit - 50 L	9.7
JABK1120CL	120	Chemical Spill Kit - 120 L	9.7

Absorbents



Absorbents

Absorbent Rolls

Absorbent rolls come in perforated sheets that are cut to size for longer lengths in walkways or under machinery and smaller sizes for absorbing incidental spills.



Absorbent Pads

Absorbent pads for absorbing incidental spills or leaks and cleaning tools and equipment to remove traces of chemicals or oils



Absorbent Socks

Absorbent socks are long and flexible to encircle spills or equipment to contain the liquid and prevent spreading.



Art. Nr.	Description	Dimensions (mm)	Weight (kg)
Rolls			
JABR5040UL	Double Weight Rolls - Universal	50cm x 40cm	6,3
JABR5040OL	Double Weight Rolls - Oil	50cm x 40cm	6,3
JABR5040CL	Double Weight Rolls - Chemical	50cm x 40cm	6,3
Pads			
JABP5040UL	Single Weight Pads - Universal - Pack of 200	50cm x 40cm	6,7
JABP5040OL	Single Weight Pads - Oil - Pack of 200	50cm x 40cm	6,7
JABP5040CL	Single Weight Pads - Chemical - Pack of 200	50cm x 40cm	6,7
Socks			
JABS7512UL	Absorbent Sock - Universal - Pack of 20	7.5cm x 120cm	9,7
JABS7512OL	Absorbent Sock - Oil - Pack of 20	7.5cm x 120cm	9,7
JABS7512CL	Absorbent Sock - Chemical - Pack of 20	7.5cm x 120cm	9,7

Spill Control & Environmental

Why do I need a Aerosolv® Aerosol Can Recycling System?

Companies can pay hefty fines for the improper handling of hazardous waste. Aerosol cans are no exception. Considered hazardous waste while still under pressure, it is illegal for businesses to dispose of spent aerosol cans in the trash.

With Aerosolv, you can safely puncture the aerosol can, relieve the can's pressure, filter VOCs, and collect any residual liquids. Punctured, discharged cans do not meet the definition of hazardous waste per EPA 40CFR 261.23(a)(6), and thus can be treated as recyclable scrap steel.

Over 3 billion aerosol cans are produced annually in the U.S. alone.* Turning aerosol cans from hazardous waste to recyclable steel not only avoids costly fines, it helps lower the impact on our environment and saves money.

Benefits of using Aerosolv® Systems:

- Saves companies thousands on hazardous waste disposal cost
- Minimizes hazardous waste streams and saves on landfill space for a cleaner environment
- Recycled steel turns into recycling profits


*Source: Consumer Specialty Products Association (CSPA)

Did you know?




Approximately 4 aerosol cans equal one pound of steel. Every pound of steel recycled saves 5,450 BTUs of energy ... enough to light a 15-watt compact fluorescent light (CFL) bulb for over 100 hours.†

†Source: PA Dept. of Environmental Protection




WHAT IS THE IMPACT AND COST OF 4,000 CANS?

- Disposal of one 55-Gallon Drum
- RCRA Empty Compliance
- Revenue Generating Scrap Metal



Disposal of thirty-two 55-Gallon Drums



28202 Aerosolv® Aerosol Can Recycling System

Safely convert used aerosol cans to a non-hazardous material—reducing disposal costs and minimizing waste

- Punctured/discharged cans don't meet definition of hazardous waste EPA 40 CFR 261.23(a)(6), and be used as recyclable metal
- Aluminium body with moving parts of 308 stainless steel
- Includes combination filter, safety goggles, and anti-static ground wire with alligator clip
- Accepts standard sized cans with a maximum height of 215-mm)
- Non-spark pin punctures can, releasing residual liquids into collection drum
- Bottom cartridge converts liquid into droplets for safe drainage
- Top activated carbon filter cartridge acts as a replacement reminder



Accessories and Replacement Parts:



28197 Combination coalescing[†]/carbon filter (non-colour changing)



28224 Colour changing combination coalescing[†]/carbon filter



28198 Activated carbon cartridge (2pk) (non-colour changing)



28223 Colour changing activated carbon cartridge (2pk)



28200 Aerosolv® maintenance repair kit (for use with any Aerosolv®)



28111 Replacement Aeroprene (polychloroprene) gasket



28225 Counter accessory for any Aerosolv® Unit



28181 Replacement poly sleeve

[†] Coalescing filter can only be purchased in combination with a carbon filter.

Spill Control & Environmental

28230 Aerosolv® Super System

ETV certified system safely recycles spent aerosol cans, reduces disposal costs, and minimizes waste

- Offers greater vapour reduction and added security
- Protective coating for easy cleaning
- Lockout and shut-off mechanism seals the system and drum when not in use to eliminate the escape of hazardous vapours
- Includes saturation indicating carbon filter, a padlock with key, anti-static ground wire with C-clamp, and safety goggles, and built-in counter
- **28228** Replacement colour changing carbon cartridge with auto shut-off valve available
- **28229** Two-pack replacement colour changing carbon filter available



28231 Aerosolv® Dual-Compliant System

Designed to comply with California's vapour emission regulation SB1158, ETV certified

- Offers greater security featuring a shut-off valve in the puncturing unit and a check valve in the carbon cartridge to prevent off-gassing
- Poly lid cover containment sump help with compliance when you are accumulating or transporting processed aerosol cans for scrap
- Includes a combination coalescing/saturation indicating carbon filter, a padlock, antistatic ground wire with C-clamp, safety goggles, and built-in counter
- **28228** Replacement colour changing carbon cartridge with auto shut-off valve available
- **28229** Two-pack replacement colour changing carbon filter available



28190 Prosolv® System

Safely recycle depressurized propane cylinders, and eliminate an entire category of hazardous waste

- Removes the sealing sleeve and internal valve stem from small 0.45 kg propane, propylene, MAPP, and 19-mm male threaded calibration gas cylinders with Schrader valves (do not use with oxygen bottles)
- Empties and filters propellants from cylinders converting them into non-hazardous recyclable material
- Includes vent device, carbon filter, antistatic wire, safety goggles, sleeve removal tool, and 40 certification tags
- **28191** Replacement filter with 40 tags available

