

TRAFFIC BARRIER LIMA



Technical Information

Tested to withstand force of (Joule)	Top 2.500 J Bottom 10.000 J
Vehicle weight equivalent (kg)	5.000 kg
Vehicle equivalent speed (km/h)	7,2 km/h
Equivalent angle of impact	90°
Deflection zone	250 mm

Material Properties


Chemical Resistance	high- ISO/TR 10358
Temperature Range	-10° up to + 50°

Environment

CO2 / m ³	18,5 kg
Recyclability	100%

Other

Standard Warranty	5 years
-------------------	---------



Art. No.	Description	Width	Weight
DFDH-M-E	End post	600 mm	19,2 kg
DFDH-M-M	Middle post	1000 mm	20,9 kg
DFDH-M-H1	Beam set: 2 beams length 1510 mm Ø 63 mm and 2 pipes length 930 mm Ø 160 mm		9,3 kg
DFDH-M-HI	Beam set: 2 beams individual length 980 - 1510 mm Ø 63 mm and 2 pipes individual length		9,5 kg / m

Article description	Endpost
Item number	DFDH-M-E
EAN	4250912395220
Customs tariff number	39269097
Height	1216 mm
Width	225 mm
Length	650 mm
Diameter	
Deflection zone	250 mm
Net weight	19,2 kg
Material	Polyethylene
Color	Yellow (like RAL 1018 traffic yellow) / black
Indoor use	Yes
Outdoor use	Yes
Boreholes	4
Fixing	The fixing material is included.

Fixing dimensions Concrete screw anchors M12 x 80 mm



Material Properties

Chemical Resistance	high- ISO/TR 10358
Temperature Range	-10° up to + 50°





Environment

CO2 / m³	18,5 kg
Recyclability	100%

Other

Standard Warranty 5 years



Article description	Middle post
Item number	DFDH-M-M
EAN	4250912395237
Customs tariff number	39269097
Height	1216 mm
Width	225 mm
Length	1000 mm
Diameter	
Deflection zone	250 mm
Net weight	20,9 kg
Material	Polyethylene
Color	Yellow (like RAL 1018 traffic yellow) / black
Indoor use	Yes
Outdoor use	Yes
Boreholes	4
Fixing	The fixing material is included.



Fixing dimensions Concrete screw anchors M12 x 80 mm

Material Properties

Chemical Resistance high- ISO/TR 10358
 Temperature Range -10° up to + 50°





Environment

CO2 / m³ 18,5 kg
 Recyclability 100%

Other

Standard Warranty 5 years




Article description Beam set
Item number DFDH-M-H1
EAN 4250912395251
Customs tariff number 39269097




Height
Width
Length 1510 mm
Diameter Ø 63 mm
Deflection zone See post

Net weight 9,3 kg
Material Polyethylene
Color Yellow (like RAL 1018 traffic yellow)
Indoor use Yes
Outdoor use Yes
Boreholes
Fixing



Material Properties

Chemical Resistance high- ISO/TR 10358
Temperature Range -10° up to + 50°





Environment

CO2 / m³ 18,5 kg
Recyclability 100%

Other

Standard Warranty 5 years




Article description	Beam set individual length
Item number	DFDH-M-HI
EAN	4250912395244
Customs tariff number	39269097



Height	
Width	
Length	Individual length 980- 1510 mm
Diameter	Ø 63 mm
Deflection zone	See post

Net weight	9,3 kg
Material	Polyethylene
Color	Yellow (like RAL 1018 traffic yellow)
Indoor use	Yes
Outdoor use	Yes
Boreholes	
Fixing	



Material Properties

Chemical Resistance	high- ISO/TR 10358
Temperature Range	-10° up to + 50°



Environment

CO2 / m³	18,5 kg
Recyclability	100%

Other

Standard Warranty 5 years

